





Title: 76-mm Antiaircraft Gun, 1931 Model. Album of Illustrations, No 1-205 USSR

Source: 76-mm zenitnaya pushka obr. 1931 g.; Al'bom risunkov No 1-205

50X1-HUM



CONFIDENTIAL

CONFIDENTIAL**70-141 AIRCRAFT GUN, 1931 MODEL. ALBUM OF ILLUSTRATIONS, No 1 - 205**

Note: The Russian abbreviation "sb-" which appears after some of the captions probably refers to an "assembly" number⁷.

	Pages
Figure 1 - Gun in firing position (view from the right)	2
2 - Carriage (back view)	3
3 - Traveling position of gun without cover	3
4 - Longitudinal and lateral cross section of barrel (sb 01)	(Unnumbered)
5 - Breech of fretted tube with liner, without breech ring (sb 01) (back view)	4
6 - Cross section of the rifled portion of the barrel	4
7 - Breech ring (sb 01): A - back view; B - parts of the buffer safety catch	4
8 - Breech ring with breech block mounted (sb 01)	4
9 - Wedge (sb 01) A - front view; B - back view	5
10 - Parts of locking mechanism (sb 01)	5
11 - Parts of locking mechanism (sb 01)	5
12 - Buffer parts (sb 01)	6
13 - Wedge counterbalance mechanism parts (sb 01)	6
14 - Firing mechanism parts (sb 01)	6
15 - Diagram of firing mechanism (sb 01)	7
16 - Diagram of action of firing mechanism (3 positions)	8
17 - Extractor (sb 01)	8
18 - Safety gear (sb 01-17)	8
19 - Semiautomatic mechanism assembled (sb 01-20)	8
20 - Longitudinal and cross sections of semiautomatic mechanism (sb 01-20)	(Unnumbered)
21 - Parts of semiautomatic mechanism (sb 01)	9

CONFIDENTIAL

CONFIDENTIAL

	Pages
Figure 22 - Casing of semiautomatic mechanism (sb 01)	9
23 - Parts of semiautomatic mechanism (sb 01)	9
24 - Diagram of action of semiautomatic mechanism (four positions)	10
25 - Dismantling the firing mechanism	11
26 - Dismantling the semiautomatic mechanism	11
27 - Assembling the semiautomatic mechanism	12
28 - Assembling the firing mechanism	12
29 - Cradle (sb 04) (view from the left)	13
30 - Cradle (sb 04) (view from the right)	13
31 - Parts of the trunnion (sb 04)	13
32 - Equilibrator lugs (sb 04)	13
33 - Cradle parts (sb 04)	14
34 - Buffer arrangement for cradle (sb 04)	14
35 - Yoke parts (sb 04-7)	14
36 - Section of recoil indicator slide (sb 04-3)	14
37 - Recoil indicator parts (sb 04)	14
38 - Longitudinal and cross sections of recoil brake (sb 05)	(Unnumbered)
<u>No figures between 38 and 45.</u>	
45 - Diagram of recoil brake action (in 3 positions)	16
46 - Diagram of overlap of grooves and oblong piston openings in long and short recoils	17
47 - Regulator for length of recoil (sb 06)	17
48 - General view of counterrecoil mechanism (sb 06)	17
49 - Counterrecoil mechanism (sb 06): A - front; B - back	17
50 - Longitudinal and cross sections of counterrecoil mechanism (sb 06)	(Unnumbered)
51 - Cover 06-74 (front and back views)	18
52 - Counterrecoil mechanism parts (sb 06)	18

CONFIDENTIAL

CONFIDENTIAL

	Pages
Figure 53 - Control tap parts of counterrecoil mechanism (sb 06)	18
54 - Gasket (sb 06)	18
55 - Cap parts (sb 06)	18
56 - Parts of counterrecoil buffer rod (sb 06)	19
57 - End piece of counterrecoil buffer rod (sb 06) (earlier type gun)	19
58 - Air valve and parts (sb 06) (later type gun)	19
59 - Air valve and parts (sb 06) (earlier type gun)	19
60 - Diagram of counterrecoil action (3 positions)	20
61 - Using instrument to remove throttling bar with compensator from the recoil cylinder	21
62 - Dismantling the compensator	21
63 - Counterbalance (sb 07) (general view)	21
64 - Longitudinal section of counterbalance (sb 07)	(Unnumbered)
65 - Counterbalance parts (sb 07)	22
66 - Dismantling counterbalance	22
67 - Pintle (sb 12) A - front view; B - back view	23
68 - Vertical section of pintle with pedestal (sb 12) and rear view	24-25
69 - Lower part of pintle (12-226): A - front view; B - rear view	26
70 - Gunner's seat (sb 12-7)	26
71 - Upper part of gunner's footboard (sb 12-23)	26
72 - Tightening lever parts (sb 12)	27
73 - Vertical section of tachometer (sb 12)	27
74 - Tachometer parts (sb 12)	27
75 - Positioning stop (sb 12-21)	27
76 - Pintle with pedestal (section) (sb 12)	28
77 - Pedestal (sb 12) (general view)	28
78 - Lower part of pedestal (sb 12)	28

CONFIDENTIAL

CONFIDENTIAL

	Pages
Figure 79 - Lower part of pedestal with horizontal leveling mechanism (section) (sb 12)	29
80 - Parts of large slides (sb 12-61)	29
81 - Parts of small slides (sb 12-60)	30
82 - Parts of the small slide gear (sb 12)	30
83 - Vertical section of gear (sb 12)	30
84 - Pintle clip (sb 12-41) (general view)	30
85 - Worm wheel (sb 12-43)	(Unnumbered)
86 - Brake band parts (sb 12-44)	(Unnumbered)
87 - Vertical section of cover plate with stop (sb 12-42)	(Unnumbered)
88 - Section of level (sb 12-2)	(Unnumbered)
89 - Parts of level (sb 12-2)	(Unnumbered)
90 - Limb (sb 12-4)	(Unnumbered)
91 - Limb clamp (sb 12)	32
92 - Section of elevating mechanism (sb 08) assembled	32
93 - Horizontal section of elevating mechanism	(Unnumbered)
94 - Main shaft of elevating mechanism (sb 08) with gear and bearings	33
95 - Worm gear parts, elevating mechanism (sb 08)	33
96 - Worm gear parts, elevating mechanism (sb 08)	34
97 - Transmission case parts, elevating mechanism (sb 08)	34
98 - Transmission case parts, elevating mechanism (sb 08)	35
99 - Removing main shaft with gear from pintle	35
100 - Tilting mechanism (sb 09) (general view)	35
101 - Section of tilting mechanism during assembly (sb 09)	(Unnumbered)
102 - Section of tilting mechanism (sb 09)	(Unnumbered)
103 - Tilting mechanism parts (sb 09)	37
104 - Tilting mechanism parts (earlier type gun)	37
105 - Tilting mechanism parts (sb 09)	37

CONFIDENTIAL

CONFIDENTIAL

	Pages
Figure 100 - Dismantling the tilting mechanism	38
107 - Right-hand sight (sb 02)	38
108 - Section of right-hand sight (sb 02)	39
109 - Section of left-hand sight (sb 03), assembled	40
110 - Left hinge (sb 02-44)	41
111 - Sight frame (sb 02)	41
112 - Horizontal section of right-hand sight (sb 02)	42
113 - Vertical section of right-hand sight (sb 02)	43
114 - Angle-of-site gear parts (sb 02)	44
115 - Lower shaft bearing (sb 02) (earlier gun type)	44
116 - Parts of left-hand sight (sb 02)	45
117 - Vertical section of angle-of-elevation gear (sb 02)	45
118 - Parts of right-hand sight (sb 02)	46
119 - Parts of right-hand sight (sb 02)	46
120 - Section of angle-of-elevation gear (earlier gun type)	47
121 - Parts of angle-of-elevation gear (sb 02) (earlier gun type)	47
122 - Lateral lead gear parts (sb 02)	48
123 - Optical sight (OP-1)	48
124 - Optical system	48
125 - Horizontal section of optical sight	49
126 - Left-hand sight (sb 03) (general view)	50
127 - Longitudinal and cross sections of left side corrector (sb 03)	51
128 - Assembled corrector and parts (sb 03)	52
129 - Cross section of left-hand sight (sb 03) (earlier gun type)	52
130 - Longitudinal section of left-hand sight (sb 03) (earlier type gun)	53
131 - Left-hand sight parts (sb 03) (earlier gun type)	54
132 - Left-hand sight parts (sb 03)	54
133 - Diagram of sight mechanism action	55

CONFIDENTIAL

CONFIDENTIAL

	Pages
Figure 134 - Installing slotted worm and shaft in the angle-of-elevation sight bracket	55
135 - Section of drive for angle-of-height receiver (sb 27)	56
136 - Parts of drive for angle-of-height receiver (sb 27)	57
137 - Section of drive for angle-of-height receiver (sb 28)	57
138 - Parts of mechanism for azimuth receiver (sb 28)	58
139 - Parts of mechanism for azimuth receiver (sb 28)	58
140 - Diagram for assembling receivers and cables (from left side of gun)	59
141 - Diagram for assembling receivers and cables (from right side of gun)	59
142 - Section of coupling for VEST I and II flexible cable	60
143 - Section of coupling for VEST III and IV flexible cable	60
144 - Gun terminal box without cover: A - VEST I; B - VEST III	60
145 - Angle-of-height receiver; A - VEST I; B - VEST III	61
146 - Azimuth receiver; A - VEST I; B - VEST III	61
147 - Fuse <u>Setting</u> receiver	61
148 - Platform base (sb 28)	(Unnumbered)
149 - Platform base (side member) (sb 28-3)	(Unnumbered)
150 - Grip parts (sb 28)	62
151 - Cross sections of platform base (sb 28)	63
152 - Parts used to fasten carriage to platform (sb 28)	64
153 - Section of stop (sb 28-50)	64
154 - Internal support (sb 30)	65
155 - External support (sb 31)	66
156 - Front support (sb 29)	67
157 - Support cap (sb 29-6)	68
158 - Support cap parts (sb 29-6) (earlier gun type)	68
159 - Lubricator (sb 28)	69

CONFIDENTIAL

CONFIDENTIAL

	Pages
Figure 100 - Shock absorber (sb 28)	69
101 - Section of roller (sb 28)	69
102 - Socket for seat with key (sb 28-57)	69
103 - Seat (sb 34)	69
104 - Carriage without wheels (sb 32)	70-71
105 - Right-hand carriage bracket (sb 32)	72
106 - Carriage brake (sb 32)	72
107 - Wheel (sb 40)	73
108 - Section of carriage winch (sb 33)	74
109 - Dismantling equilibrater	75
170 - Adjusting lever for installing pinde in pedestal	76
171 - Hammer and sponge (sb 99-1/26)	76-77
172 - Grease gun (sb 99-1/10)	76
173 - Injector (sb 99-1/16)	77
174 - Device for filling counterrecoil mechanism with nitrogen or air (sb 99-3/1)	77
175 - Device for removing, assembling and dismantling the recoil brake compensator (sb 99-4/3)	78
176 - Device for liner assembly (sb 99-3/4)	78
177 - Device for drawing out the counterrecoil buffer rod (sb 99-4/5)	78
178 - Replacing liner	79
179 - Defect in operating handle (bolt comes out from under the guide arc)	79
180 - Buckling or breakdown of the pressure catch in the firing mechanism	79
181 - Inspection of firing pin assembly and semiautomatic action	80
182 - Inspection of counterrecoil connection with barrel and cradle	80

CONFIDENTIAL

CONFIDENTIAL

	Pages
Figure 183 - Filling recoil with liquid	80
184 - Determining pressure in counterrecoil mechanism	81
185 - Determining quantity of liquid in counterrecoil mechanism	81
186 - Graph to determine quantity of liquid in counterrecoil mechanism (in liters)	81
187 - Filling counterrecoil mechanism with nitrogen	82
188 - Checking levels of horizontal leveling mechanism	82
189 - Inspection of zero settings of aiming devices	83
190 - Inspection of line of sighting at zero settings	83
191 - Shield for inspecting line of sighting at zero settings in absence of distant aiming points	84
192 - Adjustment of stress in carriage brakesshoe	84
193 - Bolt did not open after firing -- semi-automatic mechanism not cocked	84
194 - Bolt did not open after firing -- semi-automatic mecha- nism cocked	84
195 - Opening bolt in case of external buckling of cartridge in firing	85
196 - Regulation of length of recoil by mechanism for changing length of recoil	85
197 - Coupling of shock absorber chain and springs	85
198 - Mechanism for removing casts	85
199 - Arrangement of guns on railway flat car	86
200 - Wrenches and special tools	86
201 - Wrenches and special tools	86
202 - Wrenches and special tools	87
203 - Accessories	87
204 - Accessories	88
205 - Accessories	88

- E N D -

- 8 -

CONFIDENTIAL